



ABX90 ABRASIVE MATERIALS


The ABX - Abrasive Material diamond blade range offers the user extended product lifetime when cutting abrasive building materials like medium density concrete blocks and lignacite products due to its harder segment bond.

KEY FEATURES

- 10mm Segment Height
- Heavy Duty Steel Centre
- Laser Welded Segments



Mexco Diamond Blade product packaging



PRODUCT DATA SHEET

DIAMETERS AVAILABLE:

Code	Diameter		Segment Width (mm)	Bore Size / s (mm)
	(mm)	(in)		
ABX9011522	115	4.5	2	22.23
ABX9012522	125	5	2	22.23
ABX9015022	150	6	2.4	22.23
ABX9018022	180	7	2.4	22.23
ABX9023022	230	9	2.4	22.23
ABX9030020	300	12	3.2	20
ABX9035025	350	14	3.2	25.4
ABX9045025	450	18	3.6	25.4

SUITABLE FOR USE ON:




APPLICATION:


- Concrete Pavements
- Soft Facing Brick
- Concrete Blocks Over 15kn
- Hard Sandstone
- Soft Slate
- Medium Sandstone
- Concrete Roof Tiles
- Concrete With Med Sharp Sand
- Coarse Sandstone
- Breeze Block
- Shallow Concrete Screed
- Asphalt Over Concrete
- Concrete Block Under 15kn
- Green Concrete



Concrete Block



Concrete Roof Tile



Soft Slate

PRODUCT OVERVIEW:

Grade: X90
Segment Height: 10mm
Segment Attachment: Laser Welded
Dry/Wet: Wet or Dry Use
Recommended for: Angle Grinder, Disc Cutter, Bench Saw & Floor Saw
Segment Type: Segmented
Gullet Type: Narrow Keyhole



LOW WEAR RATE

The X90 range of products allow a broad range of cutting applications and will provide fast cutting characteristics combined with low wear rates and an excellent lifetime.



- **RECOMMENDED** to cut these materials
- **Will cut these materials** with the possibility of reduced lifetime / glazing