

Revision: 27.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
• Trade name: <u>ARC HAND HELD EXPANDING POLYURETHANE FOAM</u>
<ul> <li>Article number: EXPF001</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> <li>Application of the substance / the mixture One component insulation and construction PU foam developed to make a seal between construction parts.</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Arc Building Products</li> <li>IDA Business &amp; Technology Park</li> <li>Ballynattin, Arklow, Co. Wicklow, Ireland</li> <li>Phone: +353 (0)402 32370</li> <li>Email: sales@arcbuildingproducts.ie   Website: www.arcbuildingproducts.ie</li> <li>Further information obtainable from: Product safety department.</li> <li>1.4 Emergency telephone number: +353 (0)402 32370</li> </ul>
SECTION 2. Heranda identification
SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008
GHS02 flame
Aerosol 1H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
GHS08 health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 2 H351 Suspected of causing cancer.
STOT RE 2H373May cause damage to organs through prolonged or repeated exposure.
GHS07
Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2H319Causes serious eye irritation.
Skin Sens. 1H317May cause an allergic skin reaction.
STOT SE 3H335May cause respiratory irritation.
Lact. H362 May cause harm to breast-fed children.
Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008         The product is classified and labelled according to the CLP regulation.         (Contd. on page 2)         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified and labelled according to the CLP regulation.         The product is classified according to the CLP regulation.         The product is classified according to the CLP regulation.         The product is classified according to the CLP regulation.         The product is classified according to the CLP regulation.         The product is classified according to the CLP regulation.         The product is classified according to the CLP regulation.         The product is classified according to the product is classified according to the product is classified according to the product is classified accordin</li></ul>

- IE



# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 27.01.2020

## Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

· Hazard pictog	rome	(Contd. of page 1)
< <u>⟨♥⟩</u>		
GHS02 GHS07	GHS08	
· Signal word D	-	
	nining components of labelling:	
· Hazard statem	nediisocyanate, isomeres and homologues	
	tremely flammable aerosol. Pressurised container: May burst if heated.	
	umful if inhaled.	
	uses skin irritation.	
	uses serious eye irritation.	
	ay cause allergy or asthma symptoms or breathing difficulties if inhaled.	
	ay cause an allergic skin reaction.	
	spected of causing cancer.	
	ay cause harm to breast-fed children.	
	ay cause respiratory irritation.	
	ay cause damage to organs through prolonged or repeated exposure.	
	ay cause long lasting harmful effects to aquatic life.	
· Precautionary		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition s	ources. No smoking.
P211	Do not spray on an open flame or other ignition source.	C C
P251	Do not pierce or burn, even after use.	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P263	Avoid contact during pregnancy/while nursing.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breath	
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove con and easy to do. Continue rinsing.	tact lenses, if present
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122	°F.
P501	Dispose of contents/container in accordance with local/regional/na	
	regulations.	
· Additional info		
	anates. May produce an allergic reaction.	
	losive mixtures possible without sufficient ventilation.	
	y sensitised to diisocyanates may develop allergic reactions when using this pro-	duct.
	ng from asthma, eczema or skin problems should avoid contact, including derr	
product.		
This product sh	nould not be used under conditions of poor ventilation unless a protective mask	with an appropriate
	ype A1 according to standard EN 14387) is used.	*
2.3 Other haza		
	Γ and vPvB assessment	
• <b>PBT:</b> Not appli	icable.	
		(Contd. on page 3)



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

(Contd. of page 2)

• **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; (1) Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	25-50%
CAS: 85535-85-9 EINECS: 287-477-0 Index number: 602-095-00-X	alkanes, C14-17, chloro Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Lact., H362	5-25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0	isobutane Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8	dimethyl ether Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
· Additional information: For	the wording of the listed hazard phrases refer to section 16.	•

# **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)

IE

# BUILDING PRODUCTS

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

(Contd. of page 3)

• 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

• 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
  6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
  6.4 Reference to other sections See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

•7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

OEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> as -NCO; Sens.

(Contd. on page 5)



Revision: 27.01.2020

# Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

	(Contd. of page 4
	-6 propane
	Asphx
75-28	-5 isobutane
OEL	Short-term value: 1000 ppm
115-1	0-6 dimethyl ether
OEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
	IOELV
Addit	ional information: The lists valid during the making were used as basis.
8.2 Ex	xposure controls
	nal protective equipment:
Gener	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing
	hands before breaks and at the end of work.
	protective clothing separately.
	contact with the eyes and skin.
	ratory protection:
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ontained respiratory protective device.
	ecessary if room is well-ventilated. term filter device:
Filter	
	ction of hands:
un)	Protective gloves
Ŀ	
The a	love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	b missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	cal mixture.
	ion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	rial of gloves
	nmended thickness of the material: $\geq 0.5 \text{ mm}$
	e rubber, NBR
	election of the suitable gloves does not only depend on the material, but also on further marks of quality an
	from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
the glo	ove material can not be calculated in advance and has therefore to be checked prior to the application.
	ration time of glove material
	xact break through time has to be found out by the manufacturer of the protective gloves and has to b
observ	
	reakthrough time for the mentioned glove material is in general greater than 480 min.
	e that the breakthrough time of the glove material is not exceeded. Refer to glove
	er for information on breakthrough time for specific gloves. Gloves must conform
	ndard EN 374
	rotection: Safety glasses
воду	protection: Protective work clothing



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

(Contd. of page 5)

SECTION 9: Physical and chemi	ical properties
· 9.1 Information on basic physical and c · General Information	hemical properties
· Appearance:	
Form:	Aerosol
Colour: • Odour:	According to product specification Characteristic
· Odour: · Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Not applicable, as aerosol.
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	235 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	1.7 Vol %
Upper:	18.6 Vol %
· Vapour pressure at 23 °C:	8.3 bar
· Density at 23 °C:	0.95 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• 9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

 $\cdot$  10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

<sup>-</sup> IE



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

(Contd. of page 6)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects • Acute toxicity
- Harmful if inhaled.
- · LD/LC50 values relevant for classification:
- **ATE (Acute Toxicity Estimates)**

Inhalative LC50/4 h 3-6 mg/l

#### 115-10-6 dimethyl ether

Inhalative LC50/4 h 308 mg/l (rat)

- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Suspected of causing cancer.
- · Reproductive toxicity
- May cause harm to breast-fed children.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

• **12.6 Other adverse effects** No further relevant information available.

# **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

·Europ	· European waste catalogue		
HP3	3 Flammable		
HP4	HP4 Irritant - skin irritation and eye damage		
HP5	HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
HP7	Carcinogenic		
HP13 Sensitising			
HP14	Ecotoxic		

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name	
· ADR	1950 AEROSOLS
·IMDG	AEROSOLS (alkanes, C14-17, chloro), MARIN POLLUTANT
·IATA	AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
· ADR	
<b>e</b>	
· Class	2 5F Gases.
<sup>.</sup> Label	2.1
·IMDG	
· Class	2.1
· Label	2.1

(Contd. of page 7)



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

	(Contd. of page
·IATA	
· Class	2.1
· Label	2.1
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Gases.
· Danger code (Kemler):	-
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr
	Category B. For WASTE AEROSOLS: Category C, Clear
	living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
• 14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
· Limited quantities (LQ)	
· Excepted quantities (EQ)	Code: E0 Not momented as Exponented Opportity
Transport astagory	Not permitted as Excepted Quantity 2
· Transport category · Tunnel restriction code	D
·IMDG	17
· Limited quantities (LQ)	1L Code: E0
· Excepted quantities (EQ)	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1
Un widder Regulation :	UN 1750 AEROSOLS, 2.1

(Contd. on page 10)



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

(Contd. of page 9)

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H362 May cause harm to breast-fed children.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1: Flammable gases Category 1
- Aerosol 1: Aerosols Category 1
- Press. Gas C: Gases under pressure Compressed gas
- Acute Tox. 4: Acute toxicity inhalation Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Resp. Sens. 1: Respiratory sensitisation Category 1
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 2: Carcinogenicity Category 2 Lact.: Reproductive toxicity – effects on or via lactation

(Contd. on page 11)



Revision: 27.01.2020

#### Trade name: ARC HAND HELD EXPANDING POLYURETHANE FOAM

(Contd. of page 10)

IE

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4